



Supplier handbook
Logistics
MHG-SC-M-0007
Supp. 1
Plant specific section

Revision 00
05/2021

Revision	Date	Change	Editor
01			

Table of contents

Foreword	4
1 Plant-specific section Americas.....	5
1.1 Buenos Aires sites (Argentina).....	5
1.2 Indaiatuba site (Brazil)	9
1.3 Manaus site (Brasil)	11
1.4 Betim site (Brasil).....	13
1.5 Sapucaia site (Brasil).....	15
1.6 Queretaro site (Mexico)	17
1.7 Queretaro site Distribution Center (Mexico)	19
1.8 Ramos Arizpe site (Mexico)	21
1.9 Allen site (USA)	22
1.10 Tulip site (USA).....	24
1.11 Dunlap site (USA).....	26
1.12 Fayetteville site Distribution Center (USA)	27
1.13 Fayetteville site Production	29
1.14 Portage site (USA).....	31
2 Plant-specific section Asia	32
2.1 Changchun site (China)	32
2.2 Shanghai site (China)	34
2.3 Longkou site (China).....	36
2.4 Jinan site (China).....	39
2.5 Bawal site (India)	40
2.6 Tumkur site (India).....	42
2.7 Logistics Center Schenker Bangalore (India).....	44
2.8 Munmak site (Korea).....	46
2.9 Ulsan site (Korea).....	48
2.10 Rayong site (Thailand).....	50
2.11 Yang Kee site (Singapore).....	52
2.12 Kuehne + Nagel site (Japan).....	54
2.13 MRCN site (China).....	55
3 Plant-specific section Europe.....	57
3.1 Marklkofen site (Germany).....	57

3.2	Speyer site (Germany).....	61
3.3	Ludwigsburg site (Germany).....	63
3.4	Logistic Center Speyer (Germany).....	66
3.5	Logistic Center Neovia Niederaichbach (Germany)	68
3.6	Bad Harzburg site (Germany)	70
3.7	Sonneberg site (Germany).....	72
3.8	Himmelkron site (Germany)	75
3.9	Logistic Center Untersteinach (Germany)	77
3.10	Okrisky site (Czech Republic)	79
3.11	Uherský Brod site (Czech Republic)	81
3.12	Tesanj site (Bosnia-Herzegovina)	83
3.13	Zaragoza site (Spain).....	85
3.14	Laval site (France)	87
3.15	Wolverhampton site (UK)	90
3.16	Chard site (UK).....	92
3.17	Torino site (Italy).....	94
3.18	Sekerpinar site (Turkey).....	95
3.19	Orhanlı site (Turkey)	97
3.20	Naberezhnye Chelny site (Russia).....	99
3.21	K+N central warehouse (Russia)	100
3.22	Kuehne+Nagel (Russia).....	102

Foreword

This supplementary handbook describes plant-specific features of individual sites. All general information is published in the Supplier handbook Logistics MHG-SC-M-0007.

1 Plant-specific section Americas


1.1 Buenos Aires sites (Argentina)

Delivery address 1

MANN+HUMMEL Argentina S.A.
Production Center

Senador Francisco Quindimil 4425
1822 Valentin Alsina, Buenos Aires

Argentina



Opening hours

Incoming goods	
Delivery times	Mon.-Fri. 06:00 am – 02:00 pm

Types of unloading

Unloading of the truck is possible from the side

Dimensions and weight

Standard	
Max. Width	1.200 mm
Max. Length	800 and 1.100 mm
Max. Height	1.000 mm up to 1.500 mm

Measures inclusive plates

Max. weight inclusive pallet: 450 kg

Max. weight of packages and single small boxes (KLTs): 20 kg

Other Characteristics

Authorized:

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection


Not authorized:

- Not authorized personnel are not allowed to walk along unloading areas
- Material can't be clearly identified

1.2 Buenos Aires site 2 (Argentina)

Delivery address 2

FELSIM S.A.
Plant in Plant OE Assemble
& Raw Material Warehouse
Alvaro Barros 1850
1839 Esteban Echeverria, Buenos Aires
Argentina



Opening hours

Incoming goods	
Delivery times	Mon.-Fri. 08:00 am – 05:00 pm

Types of unloading

Unloading of the truck is possible from the side and from the back. 20 ft Containers have to be placed on the back of the trailer.

Dimensions and weight

	Standard 1	Standard 2 (Filter Media)
Max. Width	1.200 mm	800 mm
Max. Length	800 or max. 1.100 mm	800 mm or max. 1.100 mm
Max. Height	1.000 mm up to 1.500 mm	1.000 mm up to 2.500 mm

Measures inclusive plates

Max. weight inclusive pallet: 450 kg

Max. weight of packages and single small boxes (KLTs): 20 kg

Other Characteristics

Authorized:

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection


Not authorized:

- Not authorized personnel are not allowed to walk along unloading areas
- Material can't be clearly identified

1.3 Buenos Aires site 3 (Argentina)

Delivery address 3

MANN+HUMMEL Argentina S.A.
3PL Logistic Center Tasa Logística
Ruta 8 KM 63, Colectora Oeste
B1633FRB Fatima, Buenos Aires
Argentina



Opening hours

Incoming goods	
Delivery times	Mon.-Fri. 06:00 am – 08:00 pm

Types of unloading

Unloading of the truck is possible from the side.

Dimensions and weight

Standard	
Max. Width	1.200 mm
Max. Length	800 or max. 1.100 mm
Max. Height	1.000 mm up to 1.500 mm

Measures inclusive plates

Max. weight inclusive pallet: 450 kg

Max. weight of packages and single small boxes (KLTs): 20 kg

Other Characteristics

Authorized:

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Not authorized personnel are not allowed to walk along unloading areas
- Material can't be clearly identified

1.2 Indaiatuba site (Brazil)

Delivery address


MANN+HUMMEL BRASIL LTDA.

Alameda Filtros Mann 555

Indaiatuba - SP

13344-580

Brazil



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 06:00 am – 09:00 pm

Types of unloading

Unloading of the trucks is possible from rear and also from the side.

Dimensions and weight

Standard	
Max. Width	1.200 mm
Max. Length	1.200 mm
Max. Height	1.240 mm

Measures inclusive plates

Max. weight inclusive pallet: 1.300 kg

Max. weight of packages and single small boxes (KLTs): 25 kg

Other Characteristics

Not authorized:

- Incoming goods in liquid forms, retrieved from tank trucks
- Incoming goods in bulk
- Incoming goods having the packing damaged or any situation that might put the integrity of the goods at risk

1.3 Manaus site (Brasil)

Delivery address

MANN+HUMMEL BRASIL LTDA.
Rua Flamboyant 1403
Manaus - AM
69075-843
Brazil



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00 am – 04:00 pm

Types of unloading

Unloading of the trucks is possible from rear and also from the side.

Dimensions and weight

	Standard
Max. Width	1.000 mm
Max. Length	1.200 mm
Max. Height	1.240 mm

Measures inclusive plates

Max. weight inclusive pallet: 1.300 kg

Max. weight of packages and single small boxes (KLTs): 25 kg

Other Characteristics

Not authorized:

- Incoming goods in liquid forms, retrieved from tank trucks
- Incoming goods in bulk
- Incoming goods having the packing damaged or any situation that might put the integrity of the goods at risk

1.4 Betim site (Brasil)

Delivery Address

MANN+HUMMEL Brasil Ltda.
Av. Fausto Ribeiro da Silva, 839
Betim - MG
32654-805
Brazil



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00 am - 04:00 pm

Types of unloading

Unloading of the trucks is possible from rear and from the side.

Dimensions and weight

Standard 1	
Max. Width	1.000 mm
Max. Length	1.200 mm
Max. Height	1.240 mm

Measures inclusive plates

Max. weight inclusive pallets: 1.300 kg

Max. weight of packages and single small boxes (KLTs): 25 kg

Other Characteristics

Not authorized:

- Incoming goods in liquid forms, retrieved from tank trucks
- Incoming goods in bulk
- Incoming goods having the packing damaged or any situation that might put the integrity of the goods at risk

1.5 Sapucaia site (Brasil)

Delivery address


MANN+HUMMEL Brasil Ltda.

R. Anchieta, 188

Sapucaia do Sul - RS

93212-730

Brazil



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00 am - 04:00 pm

Types of unloading

Unloading of the trucks is possible from rear and from the side

Dimensions and weight

Standard 1	
Max. Width	1.000 mm
Max. Length	1.200 mm
Max. Height	1.240 mm

Measures inclusive plates

Max. weight inclusive pallets: 1.300 kg

Max. weight of packages and single small boxes (KLTs): 25 kg

Other Characteristics

Not authorized:

- Incoming goods in liquid forms, retrieved from tank trucks
- Incoming goods in bulk
- Incoming goods having the packing damaged or any situation that might put the integrity of the goods at risk

1.6 Queretaro site (Mexico)

Delivery address

MANN+HUMMEL MEXICO S.A. DE C.V.
Vialidad El Pueblito No. 104
Parque Industrial Querétaro
76220 Santiago de Querétaro, QRO
Mexico



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00 am - 09:00 pm

Types of unloading

Unloading of the trucks is possible only from rear.

Dimensions and weight

Standard	
Max. Width	1.100 mm
Max. Length	1.100 mm
Max. Height	1.100 mm, up to 1.600 mm after consultation

Measures inclusive plates

Max. weight inclusive pallets: 450 kg

Max. weight of Primary Package and single small boxes (KLTs): 20 kg

Other Characteristics

Authorized

- Packages strapped with plastic or steel strips
- Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not Authorized:


- Different articles per pallet
- Material without any bulk
- Damaged pallets
- Damaged boxes

All materials need to have proper documentation (invoice is fundamental). Truck loading requires best optimization of the space without any damage on the stack levels.

1.7 Queretaro site Distribution Center (Mexico)

Delivery address

MANN+HUMMEL Filtration Technology
Distribution Mexico S.A. de C.V.
Av. De Las Misiones #14-A
Parque Industrial Bernardo Quintana
C.P. 76246 El Marques, Qro, México



Opening hours

Incoming goods	
Delivery times	Mo.-Fr.: 08:00 am - 04:30 pm

Types of unloading

Unloading of the trucks is possible from rear and small volume from the side.

Dimensions and weight

Standard	
Max. Width	1.100 mm (43,3 in)
Max. Length	1.220 mm (48 in)
Max. Height	1.220 mm (48 in)

Standard size pallets are stackable

Measures inclusive pallets

Max. weight inclusive pallet: 1,200 lbs

Other Characteristics

Drivers are required to sign in upon arrival at reception with the relevant delivery paperwork.
The driver will be advised where to offload.

Not authorized

- Floor loaded containers - all freight must be on pallets or crated
- Deliveries without bill of lading, packing list or invoices will not be accepted
- Pallets without delivery note or identifiers clearly displayed on goods will not be accepted
- Damaged pallets
- Damaged boxes

1.8 Ramos Arizpe site (Mexico)

Delivery address

MANN+HUMMEL Filtration Technology Mexico
S. de R.L. de C.V.

Bldv. Alpha No.1655

Parque Industrial Santa Maria

25900 Ramos Arizpe, Coahuila C.P.

Mexico



Opening hours

Incoming goods	
Delivery times	Mo.-Sa.: 07:00 am – 11:00 pm

Types of unloading

Unloading of the trucks is possible from rear and also from the side.

Dimensions and weight

Standard	
Max. Width	1.200 mm
Max. Length	1.200 mm
Max. Height	2.500 mm


Other Characteristics

Drivers are required to sign in upon arrival at reception with the relevant delivery paperwork. The driver will be advised where to offload.

1.9 Allen site (USA)

Delivery address

MANN+HUMMEL Filtration Technology US LLC
2900 Northwest Blvd
Gastonia NC 28052
USA



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 06:00 am - 05:00 pm

Types of unloading

Unloading of the trucks is possible only from rear.

Dimensions and weight

	Standard 1	Standard 2 (Filter Media)
Max. Width	1.125 mm	1.200 mm
Max. Length	1.125 mm	2.400 mm
Max. Height	1.200 mm	1.820 mm

Measures inclusive plates

Max. weight of packages and single small boxes (KLTs) 15 kg

Package > 15 kg: ground clearance min. 100mm

Other Characteristics

Authorized

- Packages strapped with PVC or Steel straps on standard skids
- Packages stretched or shrunk wrapped in plastic film on standard skids
- Edge protector if required

- Packages from overseas which are stretched or shrunk wrapped in plastic film or bubble wrap as transport protection
- Packages with scannable barcode master labels


Not authorized

- Packages of non-standard skids
- Packages without scannable barcode master labels
- Deliveries without Bill of lading and packing slips

1.10 Tulip site (USA)

Delivery address

MANN+HUMMEL Filtration Technology US
LLC
800 Tulip Drive
Gastonia NC 28052
USA



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 06:00 am - 05:00 pm

Types of unloading

Onloading of the trucks is possible only from rear.

Dimensions and weight

	Standard 1	Standard 2 (Filter Media)
Max. Width	1.125 mm	1.200 mm
Max. Length	1.125 mm	2.400 mm
Max. Height	1.200 mm	1.820 mm

Measures inclusive plates

Max. weight inclusive pallet: 400 kg

Max. weight of packages and single small boxes (KLTs): 15 kg

Package > 15 kg: ground clearance min. 100mm

Other Characteristics

Authorized


- Packages strapped with PCV or steel straps on standard skids
- Packages stretched or shrunk wrapped in plastic film on standard skids
- Edge protector if required
- Packages from/for overseas which are stretched or shrunk wrapped in plastic film or bubble wrap as transport protection

Not authorized

- Packages on non-standard skids
- Packages without scannable barcode master labels
- Deliveries without Bill of lading and packing slips

1.11 Dunlap site (USA)

MANN+HUMMEL USA Inc.
260 Resource Road
Dunlap TN 37327
USA



Opening hours

Incoming goods	
Delivery times	Mon.-Fri. 07:00 am - 02:00 pm

Types of unloading

Unloading of the trucks is possible from rear also from the side.


Dimensions and weight

Standard	
Max. Width	1.220 mm (48 in)
Max. Length	1.830 mm (72 in)
Max. Height	1.220 mm (48 in)

1.12 Fayetteville site Distribution Center (USA)

Delivery address

MANN+HUMMEL Purolator Filters LLC
Master Distribution Center
4800 Corporation Drive
Fayetteville NC 28306
USA



Opening hours

Incoming goods	
Delivery times	Mon.-Fri. 07:00 am - 03:00 pm

Types of unloading

Unloading of the trucks is possible from rear. For Live unloading appointments are required. If preapproved by the transportation manager drop and hook is available.

Dimensions and weight

Standard	
Max. Width	1.028 mm (40,5 in)
Max. Length	1.220 mm (48 in)
Max. Height	1.220 mm (48 in)

Standard size pallets are stackable

Measures inclusive pallets

Max. weight inclusive pallet: 1,200 lbs

Other Characteristics

Authorized

- Packages strapped with PVC
- Shrink wrapped pallets
- Crates (if pre-approved)


Not authorized

- Floor loaded containers - all freight must be on pallets or crated
- Deliveries without bill of lading, packing lists or packing slips will not be accepted
- Pallets without delivery note or identifiers clearly displayed on goods will not be accepted

1.13 Fayetteville site Production

Delivery address

Mann+Hummel, Purolator
3200 Natal Street,
Fayetteville, NC 28306
Use Receiving entrance



Opening hours

Incoming goods	
Delivery times	Mon.-Fri. 07:00 am - 03:30 pm

Types of unloading

Rear load trailers at standard dock height.

Dimensions and weight

Standard	
Max. Width	1.028 mm (40,5 in)
Max. Length	1.220 mm (48 in)
Max. Height	1.220 mm (48 in)

Standard size pallets are stackable

Measures inclusive pallets

Max. Weight inclusive pallet: 1,200 lbs

Dimensions and weight

Max. With	48 in	
Max. Length	40 in	4-way entry pallet

Measures inclusive pallets

Max pallet weight: 1600lbs

Steel and other metal coils packaged and palletized according to specific agreement with Mann+Hummel, Purolator


Other Characteristics

- Closed trailer must be suitable/save to accommodate fork trucks loaded to a gross load weight up to 5 tons.
- Steel shipments requiring the use of the 12K LB lift should arrive via flatbed trailer

1.14 Portage site (USA)

Delivery address

MANN+HUMMEL USA INC.
6700 S. Sprinkle Road
Portage MI 49002
USA



Opening hours

Incoming goods	
Delivery times	Mon.-Fri. 07:00 am - 11:00 pm

Types of unloading

Unloading of the trucks is possible from rear via dock and ramp and also from the top. The tarpaulin has to be open from the top in case of tool transportation.

Dimensions and weight

Standard	
Max. Width	1.220 mm (48 in)
Max. Length	1.830 mm (72 in)
Max. Height	1.220 mm (48 in)

Measures inclusive pallets

Max. weight inclusive pallet: 2,000 lbs

2 Plant-specific section Asia

2.1 Changchun site (China)

Delivery address 1

Changchun M+H FAWAY Filter Co. Ltd.
No. 2177, Feng Yue Road
130031 Changchun
China



Opening hours

Incoming goods	
Delivery times	Mon.- Fri. 07:45 am – 03:45 pm

Types of unloading

Unloading of the truck is possible from behind and also from the side in emergency cases

Dimensions and weight

Standard 1	
Max. Width	1.200 mm
Max. Length	800 mm or max. 1.000 mm
Max. Height	1.000 mm and max. 1.100 mm

Measures inclusive plates

Max. weight inclusive pallet: 1.000 kg for Plastic and 500 kg for other parts

Max. weight of packages and single small boxes (KLTs): 15 kg

Package > 15kg: ground clearance min. 100 mm

Standard of Supplier Delivery Label

Supplier delivery labels must include MCCN part numbers, supplier name, delivery date, production date, package quantity, and valid deadline date for chemical parts if applicable.

Other Characteristics

Authorized:

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Different articles per load carrier
- Packages which are stretched or shrunk in a foil
- Packages which are closed with a weld seam

In case of a full load the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visible displayed on the goods.

Containers have to be stackable up to 4.

2.2 Shanghai site (China)

Delivery address

MANN+HUMMEL (Shanghai) Co., Ltd.
No. 168 Xingqing Road Jiading, Industrial Zone
Shanghai
China



Opening hours

Incoming goods	
Delivery times	Mon.- Fri.: 08:00 am – 04:00 pm

Types of unloading

Unloading of the trucks is possible from behind and also from the side.

Dimensions and weight

Standard 1	
Max. Width	1.200 mm
Max. Length	800 mm or max. 1.000 mm
Max. Height	1.000 mm up to 1.100 mm

Measures inclusive plates

Max. weight inclusive pallet: 750 kg

Max. weight of packages and single small boxes (KLTs): 15 kg

Package >15kg: ground clearance min. 100 mm

Other Characteristics

Authorized:

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Different articles per load carrier
- Packages which are stretched or shrunk in a foil
- Packages which are closed with a weld seam

In case of a full load, the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visibly displayed on the goods.

Containers have to be stackable x 4.

Supplier Delivery Label Standard

Consignee	Shanghai Mann-Hummel	MJCN Number	
Part Number	XXXX XXXX XX(MJCN has a material NO. With 10 bits)		
The name of Part/Raw material	XXXXXX (The name of commodity, such as bottom housing)	Effective drawing vision	
Package condition	XXX (or XXX Kg/Package number)	Production Number	XXXXXX
Order Number	PXXXX (Order Number)	date of production	200X Year Month Day
date in produced	200X Year Month Day	shelf life	Months/ to Year Month Day Effective
Supplier	XXXXXXXX (The name of supplier)	Inspection Condition	Qualification
Remark			

All the suppliers are supposed to add identification which includes MANN+HUMMEL part number, name, supplier name, package standard, production data, delivery date, production batch number etc. Barcodes may be used according to MANN+HUMMEL standard in the package or shelf every time they deliver the goods. The supplier could add internal number and internal serial number in addition for inner company management.

2.3 Longkou site (China)

Delivery address

Longkou MANN+HUMMEL Filtration Co., Ltd.

East on Pangmu Road, Economy Developing District,
Longkou City, Shandong, 275716, China



Opening hours

Incoming goods	
Delivery times	Mon. – Fri.: 08:00 am – 04:00 pm

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

Standard	
Max. Width	1.100 mm
Max. Length	1.100 mm
Max. Height	1.200 mm

Measures inclusive pallets

Max. weight inclusive pallet: 2.000 kg for steel and 500 kg for normal parts

Max. weight of packages and single small boxes (KLTs): 15 kg

Package >15kg: ground clearance min. 100 mm

Other Characteristics

Supplier Delivery Label Standard:

Supplier delivery label MUST include FTCN parts number, supplier name, arrival date, production date, package quantity ,valid deadline date for chemical part etc.



供应商/Supplier	有效期/Term of Validity
物料号/Part NO.	物料名称/Material Name
数量(件)/Quantity(pc)	到货日期/Arrival Date
箱数/Box Quantity	库位/Storage location

L0N-SC-F-0076

(Code acc. to MHG-QU-P-0001)

物料标识卡



Material Information Card

供应商	
物料代码	
物料名称	
数量/单位	
生产时间	
备注/到期日	

Authorized:

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Different articles per load carrier
- Packages which are stretched or shrunk in a foil
- Packages which are closed with a weld seam

In case of a full load, the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visibly displayed on the goods.

Containers have to be stackable x 4.

2.4 Jinan site (China)

Delivery Address

MANN+HUMMEL Filter (Jinan) Co., Ltd.
Chunxuan Road across Shiji Road Hi-tech
Development Zone
250104 Jinan
China



Opening hours

Incoming goods	
Delivery times	Mon.- Fri.: 08:00 am - 04:00 pm

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

Standard 1	
Max. Width	1.200 mm
Max. Length	1.000 mm
Max. Height	1.000 mm

Measures inclusive plates

Max. weight inclusive pallets: 700 kg

Max. weight of packages and single small boxes (KLTs): 15 kg

Other Characteristics

The delivery note must display material number, quantity and Purchase Order number.

2.5 Bawal site (India)

Delivery address

MANN AND HUMMEL FILTER
PRIVATE LIMITED

Plot No. 19, Phase-II, Sector-5,
Bawal Industrial Growth Centre, Bawal,
Rewari Haryana 123501
India



Opening hours

Incoming goods	
Delivery times	06:00 am - 10:00 pm

Types of unloading

Unloading of the trucks is possible from behind and from the side

Dimensions and weight

	Standard 1	Standard 2
Max. Width	1.000 mm	800 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	1.000 mm, up to 2.200 mm for media after consultation and approval	1.000 mm

Measures inclusive plates

Max. weight inclusive pallets: 450 kg

Max. weight of Primary Package and single small boxes (KLTs): 15 kg

Package > 15 kg: Minimum Ground clearance needed: 100 mm

Other Characteristics

Authorized:

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Different articles per load carrier
- Packages which are stretched or shrunk in a foil
- Packages which are closed with a weld seam

In case of a full load, the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visibly displayed on the goods.

Containers have to be stackable x 4.

2.6 Tumkur site (India)

Delivery address

MANN AND HUMMEL FILTER Pvt. Ltd.
No. 27, 28 & 29 "A" Block,
Antharasanahalli Industrial Area
II nd Phase, Antharasanahalli,
Tumkur Karnataka 572 106,
India



Opening hours

Incoming goods	
Delivery times	06:00 am - 10:00 pm

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

	Standard 1	Standard 2
Max. Width	1.000 mm	800 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	1.000 mm, up to 2.200 mm for media after consultation and approval	1.000 mm

Measures inclusive plates

Max. weight inclusive pallets: 450 kg

Max. weight of Primary Package and single small boxes (KLTs): 15 kg

Package > 15 kg: Minimum Ground clearance needed: 100 mm

Other Characteristics

Authorized:

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Different articles per load carrier
- Packages which are stretched or shrunk in a foil
- Packages which are closed with a weld seam

In case of a full load, the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visibly displayed on the goods.

Containers have to be stackable x 4.

2.7 Logistics Center Schenker Bangalore (India)

Delivery address

MANN AND HUMMEL Filter Pvt. Ltd.
C/o – Schenker India PVT LTD.
Serve no #47/1, Budhial, Kasaba Hobli,
Nelamangala
Bangalore Karnataka 562123
India

Opening hours

Incoming goods	
Delivery times	09:30 am - 06:00 pm

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

	Standard 1	Standard 2
Max. Width	1.000 mm	800 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	1.000 mm, up to 2.200 mm for media after consultation and approval	1.000 mm

Other Characteristics

Authorized:

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Different articles per load carrier
- Packages which are stretched or shrunk in a foil
- Packages which are closed with a weld seam

In case of a full load, the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visibly displayed on the goods.

Containers have to be stackable x 4.

2.8 Munmak site (Korea)

Delivery address

MANN+HUMMEL KOREA Co., LTD.
77-1, Donghwagongdan-ro, Munmak-eup,
Wonju-si, Gangwon-do
Republic of Korea
강원도 원주시 문막읍 동화공단로 77-1



Opening hours

Incoming goods	
Delivery times	Mon.- Fri.: 08:00 am - 05:00 pm

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

Standard 1	
Max. Width	1.200 mm
Max. Length	800 mm or max. 1.000 mm
Max. Height	800 mm or up to 2.000 mm after consultation

Measures inclusive plates

Max. weight inclusive pallet: 400 kg

Max. weight of packages and single small boxes (KLTs): 12 kg

Package more than 12 kg should be sub-packed in the smaller package such as plastic bag

Other Characteristics

Authorized:

- Packages strapped with PCV or steel strips
- Edge protector if required
- Packages from/for overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Speed limit within max. 15km/h

2.9 Ulsan site (Korea)

Delivery address

MANN+HUMMEL KOREA CO., LTD.

18, JukJeon-ro, Buk-gu

Ulsan-Si 683-360

Republic of Korea

울산광역시 북구 죽전로 18



Opening hours

Incoming goods	
Delivery times	Mon.- Fri.: 08:00 am - 05:00 pm

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

Standard 1	
Max. Width	1.200 mm
Max. Length	800 mm or max. 1.000 mm
Max. Height	800 mm or up to 2.000 mm after consultation

Measures inclusive plates

Max. weight inclusive pallet: 400 kg

Max. weight of packages and single small boxes (KLTs): 12 kg

Package more than 12 kg should be sub-packed in the smaller package such as plastic bag

Other Characteristics

Authorized:

- Packages strapped with PCV or steel strips
- Edge protector if required
- Packages from/for overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Speed limit within max. 15km/h

2.10 Rayong site (Thailand)

Delivery address

MANN and HUMMEL THAILAND LTD.
 500/124 Moo3 Hemaraj Eastern
 Seaboard Industrial Estate
 T. Tasit, A. Pluakdaeng
 Rayong
 Thailand



Opening hours

	Incoming goods	Shipping Goods
Delivery times	Mon.- Fri. 08:00 am - 05:00 pm	08:00 am – 05:00 pm 08:00 pm – 05:00 am

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

	Standard
Max. Width	1.200 mm
Max. Length	800 mm or max. 1.400 mm
Max. Height	800 mm or up to 2.000 mm after consultation

Measures inclusive plates

Max. weight inclusive pallet: 1.200 kg

Max. weight of packages and single small boxes (KLTs): 12 kg

Package more than 12 kg should be sub-packed in the smaller package such as plastic bag

Other Characteristics


Authorized:

- Packages strapped with PCV or steel strips
- Edge protector if required
- Packages from/for overseas which are stretched because of transport protection
- Driver or deliverer has to wear basic PPE equipment (Safety shoes and Vest)
- Safety equipment with truck (Wheel stopper, lashing band and small extinguisher)

2.11 Yang Kee site (Singapore)

Delivery address

External / 3PL Warehouse
YANG KEE LOGISTICS
(SINGAPORE) PTE LTD
8 Jurong Pier Road
Singapore 619160



Opening hours

Incoming goods	
Delivery times	Mon.- Fri.: 08:30 am - 05:30 pm Sat.: 08:30 am - 11:30 am

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

Standard 1	
Max. Width	1.200 mm
Max. Length	800 mm or max. 1.400 mm
Max. Height	800 mm, up to 2.500 mm after consultation

Measures inclusive pallets

Max. weight inclusive pallets: 1200 kg

Max. weight of packages and single small boxes (KLTs): 12 kg

For small packages, items are packed into recycled carton

Other Characteristics

Authorized

- Packages strapped with PCV or steel strips
- Edge protector if required
- Packages from/for overseas which are stretched because of transport protection
- Driver or deliverer has to wear basic PPE equipment (Safety shoes and Vest)
- Safety equipment with truck (Wheel stopper, lashing band and small extinguisher)

Not authorized

Speed limit within max. 15km/h

2.12 Kuehne + Nagel site (Japan)

Delivery address

1033-1, Yamada, Shibayama-cho
Sanbu-gun, Chiba 289-1606, Japan



Opening hours

Incoming goods	
Delivery times	09:00 am – 06:00 pm

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

Standard	
Max. Height	5.500 mm
Loading capacity	1.5 ton/M3

Other Characteristics

Container slope

2.13 MRCN site (China)

Delivery address

MANN+HUMMEL (China) Co., Ltd.

No 9 Beihuan road (DLJ Logistics Park D)
Taicang, Jiangsu, China



Opening hours

Incoming goods	
Delivery times	Mon. – Fri. 09:00 am – 04:00 pm

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

Standard 1	
Max. Width	1.000 mm
Max. Length	1.200 mm
Max. Height	1.900 mm

Measures inclusive pallets

Max. weight inclusive pallets: 800 kg

Max. weight of packages and single small boxes (KLTs): 15 kg

Package > 15kg: ground clearance min. 100 mm

Other Characteristics

Authorized

Packages strapped with PVC or steel strips

Edge protector if required

Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not authorized

Different articles per load carrier

Packages which are stretched or shrunk in a foil

Packages which are closed with a weld seam

In case of a full load, the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visibly displayed on the goods.

3 Plant-specific section Europe

3.1 Marklkofen site (Germany)

Delivery address 1


MANN+HUMMEL GmbH

Werk Marklkofen

Kollbacherstr. 31

84163 Marklkofen

Germany



Opening hours

	Incoming goods	Supplier logistics center (LLZ)	Hazardous goods storage facility	Steel storage
Department	MK-LG-IL1	MK-LG-IL2/Fiege	MK-LG-IL3	MK-LG-IL1
Location	Hall 14: Gate 1	Hall 31 and 32: Gate 1 to 12	Hall 21	Hall 20
Delivery times	Mon.-Fri. 06:30am – 03:30pm	Mon.-Fri. 07:00am – 05:00pm	Mon.-Fri. 06:30am – 03:30pm	Mon.-Fri. 06:30am – 03:30pm

If delivery times are agreed upon differently, this provision is overridden.

The following exceptions are possible:

- The contractually agreed-upon time slots
- Agreement relating to the time slots between MANN+HUMMEL and supplier / forwarder

Types of unloading

In Hall 14, 31 and 32 – from behind (ramp)

In Hall 20 and 21 – from behind (without ramp) and also from the side

Dimensions and weight

	Standard 1	Standard 2	Filter media / Bigbag:	Hazardous goods storage facility
Max. Width	1.000 mm	1.000 mm	1.150 mm	1.000 mm
Max. Length	1.200 mm	1.200 mm	1.200 mm	1.200 mm
Max. Height	1.000 mm	2.000 mm	2.000 mm	1.060 mm

Minimum width of pallets: 800 mm

Maximum weight of shelves goods: 700 kg per loading unit

A packaging unit has to be two fold stackable

Additional or special agreed packaging instructions have to be respected.

Other Characteristics

The trucks and swap bodies have to be passable with forklift trucks with a permissible gross load weight of 5 t.


Delivery address 2

Logistic center FIEGE

Kollbacher Straße 35

84163 Marklkofen

Germany



View of the new hall 31, 32 and 33

Opening hours

Incoming goods	
Location	Hall 31, 32
Delivery times	Mon.-Fri. 07:00am – 05:00pm

If delivery times are agreed upon differently, this provision is overridden.

The following exceptions are possible:

- The contractually agreed-upon time slots
- Agreement relating to the time slots between MANN+HUMMEL and supplier / forwarder

Types of unloading

In Hall 31, 32 from behind (ramp).

Dimensions and weight

	Standard 1	Standard 2	Filter media / Bigbag:	Hazardous goods storage facility
Max. Width	1.000 mm	1.000 mm	1.150 mm	1.000 mm
Max. Length	1.200 mm	1.200 mm	1.200 mm	1.200 mm
Max. Height	1.000 mm	2.000 mm	2.000 mm	1.060 mm

Minimum width of pallets: 800 mm

Maximum weight of shelves goods: 700 kg per loading unit


Other Characteristics

The trucks and swap bodies have to be passable with forklift trucks with a permissible gross load weight of 5 t.

3.2 Speyer site (Germany)

Delivery address

MANN+HUMMEL GmbH
Werk Speyer
Business Unit Industrial Filters
Brunckstraße 15
67346 Speyer
Germany



Opening hours

Incoming goods

Delivery times Mon.-Fri.: 07:00am – 03:00pm

Types of unloading

Unloading of the trucks is possible from behind and from the side.

Dimensions and weight

Standard 1	
Max. Width	1.200 mm
Max. Length	800 mm or max. 1.000 mm
Max. Height	1.000 mm, up to 2.000 mm after consultation

Measures inclusive pallets

Max. weight inclusive pallet: 450 kg

Max. weight of packages and single small boxes (KLTs): 15 kg

Package >15kg: ground clearance min. 100 mm

Other Characteristics

Authorized

- Packages strapped with PVC or steel strips
- Edge protector if required
- Packages from overseas which are stretched or shrunk in a foil because of transport protection

Not authorized:

- Different articles per load carrier
- Packages which are stretched or shrunk in a foil
- Packages which are closed with a weld seam


In case of a full load, the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visibly displayed on the goods.


Containers have to be stackable x 4.

3.3 Ludwigsburg site (Germany)

Delivery address

MANN+HUMMEL GmbH
Werk 2
Grönerstraße 45
71636 Ludwigsburg
Germany





Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 06:00am - 03:30pm

If delivery times are agreed upon differently, this provision is overridden.

The following exceptions are possible:

- The contractually agreed-upon time slots
- Agreement relating to the time slots between MANN+HUMMEL and supplier / forwarder

Types of unloading

Unloading of the trucks is possible from side and from the top. The tarpaulin has to be opened from the top in case of tool transportation over 2 t.

Dimensions and weight

	Standard 1	Filter media / Bigbag:	Hazardous goods storage facility
Max. Width	1.200 mm	1.200 mm	1.200 mm
Max. Length	1.000 mm	1.000 mm	1.000 mm
Max. Height	1.030 mm	2.030 mm	1.030 mm

Other Characteristics

All of the plants in Ludwigsburg are located in an environmental zone.

The maximum weight of the charge carrier is 400 kg.

3.4 Logistic Center Speyer (Germany)



Delivery address


MANN+HUMMEL GmbH

Draisstraße 56

67346 Speyer

Germany





Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00am - 04:00pm

Types of unloading

Unloading from behind (ramp) at the incoming goods. Sprinter vans are only permissible in exceptional circumstances.


Dimensions and weight

	Standard 1	Standard 2
Max. Width	800 mm	1.000 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	2.000 mm	2.000 mm

3.5 Logistic Center Neovia Niederaichbach (Germany)

Delivery address

Neovia Logistics GmbH
 Luitpoldpark 11
 84100 Niederaichbach
 Germany



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 06:00am - 06:00pm

(Later delivery is possible if arranged)

Types of unloading

Unloading of the trucks is possible from behind (ramp) at goods-in.

Dimensions and weight

	Standard 1	Standard 2
Max. Width	800 mm	1.000 mm*
Max. Length	1.200 mm	1.200 mm
Max. Height	1.000 mm	1.000 mm

*Only with agreement from MANN+HUMMEL. Max. height of the pallet is 1000 mm, a difference is only allowed with the agreement of MANN+HUMMEL. Details are given on the packaging directive targets of MANN-FILTER (MHN 200 004 + MHN 200 004-10).



Other Characteristics

Prompt unloading is guaranteed by booking a time frame one or two days before delivery. Booking a time frame is only possible by telephone with the number +49 8702 948013.

3.6 Bad Harzburg site (Germany)

Delivery address

MANN+HUMMEL AUTOMOTIVE GMBH
 Grubenweg 22
 38667 Bad Harzburg
 Germany



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00am - 03:00pm

Types of unloading

There is no unloading with a ramp possible in Bad Harzburg. Loading and unloading is possible from behind or from the side with a forklift truck.

Dimensions and weight

	Standard 1	Standard 2 (Octabin)
Max. Width	1.000 mm	1.150 mm
Max. Length	1.200 mm	1.150 mm
Max. Height	1.000 mm	2.000 mm
Max. Weight	500 kg	1.200 kg

Other Characteristics

The plant is located at the end of a residential area / industrial area. As a result, there is a ban on night driving to trucks of over 7.5 t between 22:00 hr – 06:00 hr. The access road has a 3 % gradient and sharp bends. Seasonal winter equipment may be required.

3.7 Sonneberg site (Germany)




Delivery address

MANN+HUMMEL GMBH

Friedrich-Engels-Straße 157

96515 Sonneberg

Germany



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00am - 03:00pm

Types of unloading

Unloading is possible from behind and from the side.

There are three ramps for unloading from the back.

Dimensions and weight

	Standard 1	Standard 2 (Octabin)
Min. width	800 mm	1.150 mm
Max. Width	1.000 mm	1.150 mm
Max. Length	1.200 mm	1.150 mm
Max. Height	1.030 mm	2.000 mm
Max. Weight	550 kg	1.200 kg

Other Characteristics

- the delivery note must display material number, quantity and Purchase Order number.
- In case of a full load, the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visibly displayed on the goods
- additional or special agreed packaging instructions have to be respected
- containers have to be stackable x 4

Not authorized:

- different articles per pallet / load carrier
- damaged pallets / boxes
- not authorized personnel are not allowed to walk along unloading areas

Delivery address 2

Söllner Logistic
Johann-Nicol-Dorst-Straße 8
96515 Sonneberg
Germany

Opening hours

Incoming goods	
Delivery times	Mo.-Fri.: 08:00 am - 04:00 pm

Types of unloading

Unloading is possible from behind (ramp).

Dimensions and weight

	Standard 1	Standard 2 (Octabin)
Max. Width	1.000 mm	1.150 mm
Min. Width	800 mm	1.150 mm
Max. Length	1.200 mm	1.150 mm
Max. Height	1.030 mm	2.000 mm
Max. Weight	550 kg	1.200 kg

Other Characteristics

- the delivery note must display material number, quantity and Purchase Order number.
- In case of a full load, the delivery note has to be handed over to the truck driver. Otherwise the delivery note must be clearly visibly displayed on the goods
- containers have to be stackable x 4




Not authorized:

- different articles per pallet / load carrier
- damaged pallets / boxes
- not authorized personnel are not allowed to walk along unloading areas
- additional or special agreed packaging instructions have to be respected

3.8 Himmelkron site (Germany)

Delivery address

MANN+HUMMEL
Innenraumfilter GmbH & Co. KG
Kulmbacher Straße 12
95502 Himmelkron
Germany



Opening hours

Incoming goods (LZH)	
Delivery times	Mon.-Fri.: 07:00am - 03:00pm

Types of unloading

Unloading from behind over the ramp is only possible at the incoming goods area. Unloading small trucks and sprinter vans with forklift trucks is only possible in exceptional circumstances.

Dimensions and weight

	Standard 1	Standard 2	Filter media / Bigbag:	Block storage
Max. Width	800 mm	800 mm	1.150 mm	1.200 mm
Max. Length	1.200 mm	800 mm	1.200 mm	1.000 mm
Max. Height	1.100 mm	2.100 mm	2.400 mm	2.400 mm

Min. width of pallets: 800 mm

Max. weight of shelf goods: 700 kg per loading unit

Other Characteristics

Attention: The given forwarding instructions are binding.

In case of noncompliance additional costs incurred will be paid by the responsible person.

3.9 Logistic Center Untersteinach (Germany)

Delivery address

Steinbach GmbH & Co. Spedition KG
Am Hammer 6
95466 Weidenberg (Untersteinach)
Germany



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00am - 02:00pm

Types of unloading

Unloading from behind over the ramp and from the side is possible.

Dimensions and weight

	Standard 1	Standard 2	Filter media / Bigbag:	Block storage
Max. Width	800 mm	800 mm	1.150 mm	1.200 mm
Max. Length	1.200 mm	800 mm	1.200 mm	1.000 mm
Max. Height	1.100 mm	2.100 mm	2.400 mm	2.400 mm

Min. width of pallets: 800 mm

Max. weight of shelf goods: 700 kg per loading unit




Other Characteristics

Attention: The given forwarding instructions are binding.

In case of noncompliance additional costs incurred will be paid by the responsible person.

3.10 Okrisky site (Czech Republic)

Delivery address	Delivery address LLC	Delivery address IAM WH
MANN+HUMMEL (CZ) s.r.o	Argo Logistické centrum	Logistické centrum Třebíč
Nová Ves 66	Cihelna 433	Pocoucov 83
67521 Okrisky	67521 Okrisky	674 01 Třebíč
Czech Republic	Czech Republic	Czech Republic



Opening hours

	Incoming goods+ shipping and export	Returnable packaging	IAM WH	LLC
Location of Departments	Logistics MHCZ Hall G Gate 2	Logistics MHCZ Hall 1A Gate 2	Logistické centrum Třebíč Pocoucov 83 674 01 Třebíč	Argo Logistics Center Cihelna 433 67521 Okříšky
Delivery times	Mon.-Fri. 06:00 am 09:00 pm	Mon.-Fri. 06:00 am 09:00 pm	Mon.-Fri. 06:00 am 04:30 pm	Mon.-Fri. 06:00 am 04:30 pm

If delivery times are agreed upon differently, this provision is overridden.

The following exceptions are possible:

- The contractually agreed-upon time slots
- Agreement relating to the time slots between MANN+HUMMEL and supplier / forwarder

Types of unloading

Hall G – from behind (ramp) and also from the side.

Argo Okrisky – from behind (without ramp) and also from the side.

Logistické centrum Třebíč (IAM WH) - from behind (ramp)

Dimensions and weight

	Standard 1	Standard 2
Max. Width	800 mm	1.000 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	1.000 mm	1.000 mm

The maximum weight per shelf unit is 1000 kg. Pallets with a height more than 1000 mm needs to be validated in advance with Logistics department before first delivery.

3.11 Uherský Brod site (Czech Republic)

Delivery address

MANN+HUMMEL Innenraumfilter (CZ) s.r.o.

Nivnická 2616

688 01 Uherský Brod

Czech Republic



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00am - 03:00pm

Types of unloading

Unloading is possible from behind (ram) and from the side (without ramp).

Dimensions and weight

Standard 1	
Max. Width	1.000 mm
Max. Length	1.200 mm
Max. Height	2.000 mm

The maximum weight incl. the pallets is 550 kg.

3.12 Tesanj site (Bosnia-Herzegovina)

Delivery address

MANN+HUMMEL BA J.S.C.

Tesanj

Bukva b.b.

74260 Tesanj

Bosnia-Herzegovina



Opening hours

	Incoming goods	Supplier logistics center(LLZ)
Department	BA-LG	BA-LG
Location	Packaging Materials Storage	External Metal and Paper Storage
Delivery times	08:00am – 02:00pm	08:00am – 02:00pm

Types of unloading

In Packaging Materials Storage: from behind (without ramp) and also from the side.

In External Metal and Paper Storage: from behind (without ramp) and also from the side.

Dimensions and weight

	Standard 1	Filter media / Bigbag
Max. Width	1.000 mm	1.000 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	1.500 mm	1.500 mm

Min. width of pallets: 800 mm

Max. weight of shelves goods: 700 kg per loading unit

3.13 Zaragoza site (Spain)

Delivery address

MANN+HUMMEL IBERICA S.A.U.

Plataforma Logistica PLAZA

Calle Pertusa, 8 (Site 2) / Calle Pertusa, 12 (Site 1)

50197 Zaragoza

Spain



Opening hours

	Logistics Site 1	Logistics Site 2
Delivery times	Mon. - Fri.: 06:00am – 22:00 pm	Mon. - Fri.: 06:00am – 01:00pm

Types of unloading

Unloading for material goods is possible from behind and for empties from the side.

Dimensions and weight site 2

	Standard 1	Standard 2
Max. Width	1.000 mm	1.000 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	1.050 mm	2.100 mm

The max. weight is 1.000 kg.

The max. height of the pallets is 2.100 mm.

Dimensions and weight site 1

	Standard 1	Standard 2
Max. Width	1.000 mm	
Max. Length	1.200 mm	
Max. Height	1.050 mm	

The max. weight is 1.000 kg.

The max. height of the pallets is 2.100 mm.

3.14 Laval site (France)

Delivery address

MANN+HUMMEL FRANCE S.A.S.


ZA Autoroutière

Boulevard de la Communication

53950 LOUVERNE

CS26161 53061 LAVAL CEDEX 9

France



Opening hours

Incoming goods	
Delivery times	Mon.-Thu.: 06:00am - 05:00pm Fri.: 06:00am - 04:00pm

Types of unloading

Site 1

Hall 1: from the side

In dock 2-3-4-5-6-7-8: from behind (with adjustable ramp)

Hall 9: from the side

Site 2

Ramp – from behind for light trucks

In dock 1-2-3-4: from behind (with adjustable ramp)

Dimensions and weight

Site 1:

Standard 1	
Max. Width	1.000 mm
Max. Length	1.200 mm
Max. Height	1.100 mm

Minimum width of pallets: 800 mm

Maximum weight of shelves goods: 500 kg per loading unit

Site 2:

	Standard 1	Standard 2
Max. Width	1.000 mm	1.000 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	1.030 mm	2.030 mm

Minimum width of pallets: 800 mm

Maximum weight of shelves goods: 500 kg per loading unit

Other Characteristics

Speed limit inside the plant = 15 km/h

At the dock the truck must be blocked before unloading operations. There are blocks at disposal of drivers.

Any people going inside the warehouse must be protected with safety shoes, fluorescent jacket and gloves for any handling operations

Trucks and drivers may not stay inside the plant after unloading. In case of service stop, the driver must inform the logistics manager.

3.15 Wolverhampton site (UK)

Delivery address

MANN+HUMMEL (UK) LTD.

Hilton Cross Business Park

Cannock Road

Featherstone

Wolverhampton

WV10 7QZ

United Kingdom



Opening hours

Incoming goods	
Delivery times	Mon.- Fri.: 07:00am -09:00pm

For out of hours deliveries, a pre-advice is to be made with agreement and the relevant out of hours forms completed then special arrangements can be made.

Types of unloading

There are no special requirements for unloading.

Dimensions and weight

Standard 1	
Max. Width	1.200 mm
Max. Length	1.000 mm
Max. Height	1.000 mm

Max. loading unit weight is 600 kg.

Other Characteristics

Drivers are required to sign in upon arrival at reception with the relevant delivery paperwork, the driver will be advised where to offload. Upon leaving the site, the driver is then required to sign out.

3.16 Chard site (UK)

Delivery address

MANN+HUMMEL (UK) LTD.

Oil Conditioning System


Units 11-15 Leach Road

Chard Business Park

Chard, Somerset

TA20 1FA

United Kingdom



Opening hours

	Incoming goods	Outbound goods
Department	UK Logistics	UK Logistics
Location	Goods receiving	Goods dispatch
Delivery times	Mon.-Fri. 08:00am – 04:00pm	Mon. – Fri. 08:00am – 04:00pm

Dimensions and weight

	Standard 1	Standard 2
Max. Width	1.000 mm	800 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	1.000 mm	1.000 mm

Max. capacity for off-loading weight is 2.000 kg.

Max. loading for racking per unit is 700 kg.


Other Characteristics

Trailer concept is possible.

3.17 Torino site (Italy)

Delivery address

MANN+HUMMEL ITALIA S.R.L.
c/o DB Schenker Italiana S.p.A.
Via Fratelli Bandiera n. 32 (PB6)
20068 Peschiera Borromeo (MI)
Italy



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 08:30am - 12:30pm and 02:00pm - 05:00pm

Types of unloading

Unloading is possible from behind over a ramp.

Dimensions and weight

Standard 1	
Max. Width	1.200 mm
Max. Length	800 mm or max. 1.000 mm
Max. Height	1.000 mm up to 1.700 mm (exception: 2.000 mm)

3.18 Sekerpinar site (Turkey)

Delivery address

MANN+HUMMEL Filtre San. Ltd. Sti.
TAYSAD Org. San. Bölgesi
1. Cadde No. 21
41420 Sekerpinar/Cayirova – Kocaeli
Turkey



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 07:00am - 00:30pm Sat.: 07:00am - 03:00pm

If delivery times are agreed upon differently, this provision is overridden.

The following exceptions are possible:

- The contractually agreed-upon time slots
- Agreement relating to the time slots between MANN+HUMMEL and supplier / forwarder

Types of unloading

There is only 1 physical dock which is lifted for loading and unloading.

Dimensions and weight

	Standard 1	Standard 2	Standard 3	Standard 4
Max. Width	800 mm	1.100 mm	1.300mm	1.200 mm
Max. Length	1.200 mm	1.100 mm	900 mm	1.000 mm
Max. Height	1.400 mm	1.200 mm	2.500 mm	2.200 mm

The max. limit of one discharge unit is 2.5 t.

Standard 2 is not preferred for raw material traffic.

Standard 3 and 4 are used only for finished goods traffic.

Other Characteristics

The trucks and swap bodies have to be passable with forklift trucks with a permissible gross load weight of 2.5 t.

3.19 Orhanlı site (Turkey)

Delivery address


Schenker Arkas Nakliyat ve Tic. A.Ş.

Orta Mahalle Burgaz Caddesi

No:3 Tem Yanyolu

Orhanlı-Tuzla

Turkey



Opening hours

Incoming goods	
Delivery times	Mon.-Fri.: 08:30am - 06:00pm

If delivery times are agreed upon differently, this provision is overridden.

The following exceptions are possible:

- The contractually agreed-upon time slots
- Agreement relating to the time slots between MANN+HUMMEL and supplier / forwarder

Types of unloading

There are 4 physical docks which are lifted for loading and unloading.

Dimensions and weight

	Standard 1	Standard 2	Standard 3
Max. Width	800 mm	900 mm	1.000mm
Max. Length	1.200 mm	1.200 mm	1.200 mm
Max. Height	2.200 mm	2.200 mm	2.500 mm

The maximum limit of one discharge unit is 1.5 t.

Other Characteristics

The trucks and swap bodies have to be passable with forklift trucks with a permissible gross load weight of 1.5 t.

3.20 Naberezhnye Chelny site (Russia)

Delivery address

MANN+HUMMEL LLC
Werk Naberezhnye Chelny
Menzelinskiy trakt 28
423800 Naberezhney Chelny
Republic of Tatarstan
Russia



Opening hours

Incoming goods	
Location	Menzelinsky trakt 28
Delivery times	Mon.- Fri.: 08:00am - 04:30pm

Types of unloading

Unloading is possible from behind and from the side (without ramp).

Dimensions and weight

Standard 1	
Max. Width	1.000 mm
Max. Length	1.200 mm
Max. Height	2.000 mm

Maximum weight of shelves goods: 500 kg per loading unit (pallet).

3.21 K+N central warehouse (Russia)

Delivery Address

MANN+HUMMEL LLC
K+N warehouse
140126 Ramenskiy district
Moscow region
Production zone SST (LLC),
building 1, section 1,
Sofiynskoe rural settlement
Russia



Opening hours

Incoming goods	
Location	Terminal 2 Gate 24-25
Delivery times	Mon.- Fri.: 09:00am - 06:00pm

Types of unloading

Unloading is possible from behind (with ramp) and from the side (without ramp) in accordance with additional agreements.

Dimensions and weight

	Standard 1	Standard 2
Max. Width	1.000 mm	800 mm
Max. Length	1.200 mm	1.200 mm
Max. Height	2.000 mm	2.000 mm

Max. weight of shelves goods: 530 kg per loading unit (pallet).

3.22 Kuehne+Nagel (Russia)

Delivery address

MANN+HUMMEL LLC

Kuehne+Nagel Warenlager

Poselkovaya 8

196626 Shushary

Saint-Petersburg

Russia



Opening hours

Incoming goods	
Delivery times	Mon.- Fri. 09:00am - 06:00pm

Types of unloading

Unloading is possible from behind with ramp.

Dimensions and weight

	Standard 1	Standard 2	Standard 3
Max. Width	1.200 mm	1.185 mm	1.140 mm
Max. Length	1.000 mm	1.130 mm	1.100 mm
Max. Height	1.150 mm	1.100 mm	970 mm

Max. weight of shelves goods: 1.000 kg per loading unit (pallet).